

Lieferprogramm / Range of Delivery

Konzentrische Reduzierstücke EN 10253-2 / Concentric Reducers EN 10253-2

Abmessungen / Dimensions				Material / Material Grade		Abmessungen / Dimensions				Material / Material Grade							
d1	s1	d2	s2	P265GH	St35.8// P235GH	d1	s1	d2	s2	P265GH	St35.8// P235GH						
Außen Ø / Outside Ø	Wanddicke / Wallthickness	Außen Ø / Outside Ø	Wanddicke / Wallthickness			Außen Ø / Outside Ø	Wanddicke / Wallthickness	Außen Ø / Outside Ø	Wanddicke / Wallthickness								
mm	mm	mm	mm			mm	mm	mm	mm								
21,3	2,0	17,2	1,8		✓	33,7	4,5	26,9	3,6		✓						
		17,2	2,9		✓												
		17,2	3,2		✓												
25,0	2,0	20,0	2,0		✓	38,0	2,6	33,7	2,6		✓						
		17,2	1,8		✓			31,8	2,6		✓						
								30,0	2,6		✓						
								26,9	2,3		✓						
								25,0	2,0		✓						
								21,3	2,0		✓						
								21,3	2,6		✓						
26,9	2,3	21,3	2,0		✓	42,4	2,6	38,0	2,6		✓						
		20,0	2,0		✓			33,7	2,6		✓						
		17,2	1,8		✓			30,0	2,6		✓						
		17,2	2,6		✓			26,9	2,3		✓						
													✓				
													✓				
													✓				
													✓				
													✓				
													✓				
													✓				
30,0	2,6	26,9	2,3		✓			44,5	2,6	42,4	2,6		✓				
		25,0	2,0		✓	38,0	2,6				✓						
		21,3	2,0		✓	33,7	2,6				✓						
		20,0	2,0		✓	31,8	2,6				✓						
31,8	2,6	26,9	2,3		✓	44,5	2,6			30,0	2,6		✓				
		25,0	2,0		✓					26,9	2,3		✓				
		21,3	2,0		✓					25,0	2,0		✓				
		20,0	2,0		✓					21,3	2,0		✓				
33,7	2,6	26,9	2,3		✓					44,5	2,6	20,0	2,0		✓		
		21,3	2,0		✓												
		17,2	1,8		✓												
	3,2	26,9	3,2	3,2								✓					
			21,3	3,2				✓									
			17,2	2,9				✓									
			17,2	2,9				✓									
	3,6	21,3	2,9	2,9				✓									
			2,9	2,9		✓											
			2,9	2,9		✓											
4,0	26,9	4,0	4,0		✓												
		21,3	4,0		✓												
		17,2	3,2		✓												
		17,2	3,2		✓												
4,5	26,9	4,0	4,0		✓												
		4,0	4,0		✓												

Sortimentsangaben unter Vorbehalt/Assortment subject to change

Lieferprogramm / Range of Delivery

Konzentrische Reduzierstücke EN 10253-2 / Concentric Reducers EN 10253-2

Abmessungen / Dimensions				Material / Material Grade		Abmessungen / Dimensions				Material / Material Grade							
d1	s1	d2	s2	P265GH	St35.8//P235GH	d1	s1	d2	s2	P265GH	St35.8//P235GH						
Außen Ø / Outside Ø	Wanddicke / Wallthickness	Außen Ø / Outside Ø	Wanddicke / Wallthickness			Außen Ø / Outside Ø	Wanddicke / Wallthickness	Außen Ø / Outside Ø	Wanddicke / Wallthickness								
mm	mm	mm	mm			mm	mm	mm	mm								
48,3	2,6	42,4	2,6		✓	60,3	2,6	42,4	2,6		✓						
		38,0	2,6		✓			2,9	57,0	2,9		✓					
		33,7	2,6		✓				48,3	2,6		✓					
		30,0	2,6		✓				44,5	2,6		✓					
		26,9	2,3		✓				42,4	2,6		✓					
		25,0	2,0		✓				38,0	2,6		✓					
		21,3	2,0		✓				33,7	2,6		✓					
		20,0	2,0		✓				30,0	2,6		✓					
	3,6	42,4	3,6		✓		26,9	2,3		✓							
		33,7	3,6		✓		21,3	2,0		✓							
		26,9	3,6		✓		4,0	48,3	3,6	✓	✓						
		42,4	3,6		✓			42,4	3,6	✓	✓						
			4,0		✓			33,7	3,6		✓						
		4,0	4,0	42,4	4,0			✓	4,5	4,0	48,3	4,0		✓			
	33,7			3,2			✓	48,3			4,5		✓				
	26,9			3,2			✓	42,4			3,6		✓				
	21,3			3,2			✓	42,4			4,5		✓				
	4,5	4,5	42,4	4,5			✓	5,0	4,0	42,4	4,5		✓				
			42,4	4,5			✓			33,7	3,2		✓				
			42,4	5,0			✓			33,7	4,5		✓				
			33,7	4,0			✓			26,9	3,2		✓				
			33,7	5,0			✓			21,3	3,2		✓				
			26,9	4,0			✓			5,6	5,0	48,3	5,0		✓		
	21,3	4,0		✓	48,3		5,6		✓								
57,0	2,9	48,3	2,6		✓	44,5	5,0		✓								
		44,5	2,6		✓	42,4	4,0		✓								
42,4	2,6	42,4	2,6		✓	6,3	48,3	48,3	6,3				✓				
		38,0	2,6		✓			2,9	57,0			42,4	4,5		✓		
		33,7	2,6		✓					42,4	5,6		✓				
		31,8	2,6		✓					38,0	4,0		✓				
		30,0	2,6		✓					33,7	4,0		✓				
		26,9	2,3		✓					33,7	4,5	✓	✓				
		25,0	2,0		✓					33,7	5,6		✓				
		21,3	2,0		✓					26,9	4,0		✓				
		20,0	2,0		✓					21,3	4,0		✓				
		63,5	2,9	57,0	2,9						✓	48,3	2,6	57,0	2,9		✓
				48,3	2,6						✓						

Sortimentsangaben unter Vorbehalt/Assortment subject to change

Lieferprogramm / Range of Delivery

Konzentrische Reduzierstücke EN 10253-2 / Concentric Reducers EN 10253-2

Abmessungen / Dimensions				Material / Material Grade		Abmessungen / Dimensions				Material / Material Grade			
d1	s1	d2	s2	P265GH	St35.8// P235GH	d1	s1	d2	s2	P265GH	St35.8// P235GH		
Außen Ø / Outside Ø	Wanddicke / Wallthickness	Außen Ø / Outside Ø	Wanddicke / Wallthickness			Außen Ø / Outside Ø	Wanddicke / Wallthickness	Außen Ø / Outside Ø	Wanddicke / Wallthickness				
mm	mm	mm	mm			mm	mm	mm	mm				
63,5	2,9	42,4	2,6		✓	76,1	6,3	60,3	6,3		✓		
		33,7	2,6		✓				7,1	60,3	5,6		✓
70,0	2,9	63,5	2,9		✓	82,5	3,2	76,1	2,9		✓		
		60,3	2,9		✓				60,3	2,9		✓	
		57,0	2,9		✓				57,0	2,9		✓	
		48,3	2,6		✓				48,3	2,6		✓	
		44,5	2,6		✓				44,5	2,6		✓	
		42,4	2,6		✓				42,4	2,6		✓	
		38,0	2,6		✓				38,0	2,6		✓	
		33,7	2,6		✓				33,7	2,6		✓	
		30,0	2,6		✓				30,0	2,6		✓	
76,1	2,9	63,5	2,9		✓	88,9	3,2	76,1	2,9		✓		
		60,3	2,9		✓				70,0	2,9		✓	
		57,0	2,9		✓				60,3	2,9		✓	
		48,3	2,6		✓				57,0	2,9		✓	
		44,5	2,6		✓				48,3	2,6		✓	
		42,4	2,6		✓				44,5	2,6		✓	
		38,0	2,6		✓				42,4	2,6		✓	
		33,7	2,6		✓				38,0	2,6		✓	
		30,0	2,6		✓				33,7	2,6		✓	
		26,9	2,3		✓				30,0	2,6		✓	
		21,3	2,0		✓				26,9	2,3		✓	
	4,0	60,3	4,0		✓	21,3	2,0		✓				
	4,5	60,3	4,5	4,5		✓	4,5	76,1	4,5	4,5		✓	
			48,3	4,5		✓				60,3	4,5		✓
			42,4	4,5		✓				48,3	4,0		✓
	5,0	60,3	4,0	4,0		✓	5,6	76,1	5,6	5,6		✓	
			4,5	4,5		✓				76,1	5,0		✓
			48,3	4,0		✓				60,3	4,0	✓	✓
			42,4	3,6		✓				60,3	4,5		✓
			33,7	3,2		✓				48,3	3,6		✓
	5,6	60,3	4,0	4,0		✓	5,6	48,3	4,0	4,0		✓	
48,3			4,0		✓				48,3	4,0		✓	
48,3			3,6		✓				42,4	3,6		✓	
42,4			5,6		✓				42,4	5,6		✓	
		42,4	5,6		✓			33,7	3,2		✓		

Sortimentsangaben unter Vorbehalt/Assortment subject to change

Lieferprogramm / Range of Delivery

Konzentrische Reduzierstücke EN 10253-2 / Concentric Reducers EN 10253-2

Abmessungen / Dimensions				Material / Material Grade		Abmessungen / Dimensions				Material / Material Grade		
d1	s1	d2	s2	P265GH	St35.8// P235GH	d1	s1	d2	s2	P265GH	St35.8// P235GH	
Außen Ø / Outside Ø	Wanddicke / Wallthickness	Außen Ø / Outside Ø	Wanddicke / Wallthickness			Außen Ø / Outside Ø	Wanddicke / Wallthickness	Außen Ø / Outside Ø	Wanddicke / Wallthickness			
mm	mm	mm	mm			mm	mm	mm	mm			
88,9	6,3	76,1	6,3		✓	114,3	3,6	108,0	3,6		✓	
		48,3	6,3		✓			101,6	3,6		✓	
		76,1	7,1		✓			88,9	3,2		✓	
	8,0	76,1	8,0		✓			82,5	3,2		✓	
		60,3	5,6	✓	✓			76,1	2,9		✓	
		60,3	8,0		✓			60,3	2,9		✓	
		48,3	5,0		✓			57,0	2,9		✓	
		42,4	4,0		✓			48,3	2,6		✓	
		33,7	4,0		✓			44,5	2,6		✓	
								42,4	2,6		✓	
				33,7	2,6		✓					
101,6	3,6	88,9	3,2		✓	4,5	88,9	88,9	4,5		✓	
		82,5	3,2		✓			76,1	4,5		✓	
		76,1	2,9		✓			60,3	4,5		✓	
		70,0	2,9		✓	6,3	101,6	101,6	5,6		✓	
		60,3	2,9		✓			88,9	5,6	✓	✓	
		57,0	2,9		✓			76,1	5,0		✓	
		48,3	2,6		✓			76,1	5,6		✓	
		42,4	2,6		✓			60,3	4,0	✓	✓	
								60,3	4,5		✓	
	5,6	88,9	88,9	5,6		✓	48,3	4,0		✓		
			76,1	5,0		✓	42,4	3,6		✓		
			60,3	4,5		✓						
	6,3	88,9	88,9	6,3			8,0	60,3	8,0		✓	
			76,1	7,1		✓	8,8	101,6	80,9	8,0		✓
			60,3	5,6		✓			76,1	7,1		✓
	108,0	3,6	76,1	2,9		✓	13,0	88,9	60,3	5,6	✓	✓
			70,0	2,9		✓			48,3	5,0		✓
			60,3	2,9		✓			42,4	4,0		✓
57,0			2,9		✓							
48,3			2,6		✓							
44,5			2,6		✓							
42,4			2,6		✓							
38,0			2,6		✓							
33,7			2,6		✓							
30,0			2,6		✓							
133,0	4,0	114,3	3,6		✓							
		108,0	3,6		✓							
		101,6	3,6		✓							
		88,9	3,2		✓							
		76,1	2,9		✓							
		70,0	2,9		✓							

Sortimentsangaben unter Vorbehalt/Assortment subject to change

Lieferprogramm / Range of Delivery

Konzentrische Reduzierstücke EN 10253-2 / Concentric Reducers EN 10253-2

Abmessungen / Dimensions				Material / Material Grade		Abmessungen / Dimensions				Material / Material Grade			
d1	s1	d2	s2	P265GH	St35.8// P235GH	d1	s1	d2	s2	P265GH	St35.8// P235GH		
Außen Ø / Outside Ø	Wanddicke / Wallthickness	Außen Ø / Outside Ø	Wanddicke / Wallthickness			Außen Ø / Outside Ø	Wanddicke / Wallthickness	Außen Ø / Outside Ø	Wanddicke / Wallthickness				
mm	mm	mm	mm			mm	mm	mm	mm				
133,0	4,0	60,3	2,9		✓	159,0	4,5	60,3	2,9		✓		
		57,0	2,9		✓								
139,7	4,0	133,0	4,0		✓	168,3	4,5	159,0	4,5		✓		
		114,3	3,6		✓			139,7	4,0	139,7	4,0		✓
		108,0	3,6		✓					139,7	4,5	139,7	4,5
		101,6	3,6		✓			133,0	4,0			133,0	4,0
		88,9	3,2		✓					114,3	3,6	114,3	3,6
		76,1	2,9		✓			114,3	4,5			114,3	4,5
		60,3	2,9		✓					108,0	3,6	108,0	3,6
				114,3	4,5				✓			108,0	4,5
			88,9	4,5			✓	101,6	3,6	101,6	3,6		
			76,1	4,5			✓			88,9	3,2	88,9	3,2
			60,3	4,5			✓	88,9	4,5			88,9	4,5
							✓			76,1	2,9	76,1	2,9
			114,3	6,3			✓	76,1	4,5			76,1	4,5
			101,6	5,6			✓			60,3	2,9	60,3	2,9
			88,9	5,6			✓	57,0	2,9			57,0	2,9
			76,1	5,0			✓						
			76,1	6,3			✓	5,0	139,7	5,0			✓
			60,3	4,5			✓	6,3	114,3	6,3			✓
							✓	7,1	139,7	6,3			✓
			114,3	6,3			✓	7,1	139,7	7,1			✓
			88,9	5,6			✓						
			76,1	5,6			✓	114,3	6,3		✓	✓	✓
			8,0	8,0			✓						
			88,9	8,0			✓	101,6	5,6		✓	✓	✓
			76,1	7,1			✓						
			10,0	8,8			✓	88,9	5,6	✓	✓	✓	✓
			114,3	8,8			✓						
			101,6	8,0			✓	76,1	5,0		✓	✓	✓
			88,9	8,0			✓						
			76,1	7,1			✓	76,1	6,3		✓	✓	✓
			60,3	5,6			✓						
							✓	60,3	4,5		✓	✓	✓
					✓								
159,0	4,5	139,7	4,0		✓	8,0	139,7	8,0			✓		
		133,0	4,0		✓								
		114,3	3,6		✓								
		108,0	3,6		✓								
		88,9	3,2		✓								
		76,1	2,9		✓								
159,0	4,5	139,7	4,0		✓	11,0	139,7	10,0			✓		
		133,0	4,0		✓								
		114,3	3,6		✓								
		101,6	3,6		✓								
		88,9	3,2		✓								
		76,1	2,9		✓								
				114,3	8,8								✓
				101,6	8,0								✓
				88,9	8,0								✓
				76,1	7,1								✓
		60,3	5,6		✓								

Sortimentsangaben unter Vorbehalt/Assortment subject to change

Lieferprogramm / Range of Delivery

Konzentrische Reduzierstücke EN 10253-2 / Concentric Reducers EN 10253-2

Abmessungen / Dimensions				Material / Material Grade		Abmessungen / Dimensions				Material / Material Grade		
d1	s1	d2	s2	P265GH	St35.8// P235GH	d1	s1	d2	s2	P265GH	St35.8// P235GH	
Außen Ø / Outside Ø	Wanddicke / Wallthickness	Außen Ø / Outside Ø	Wanddicke / Wallthickness			Außen Ø / Outside Ø	Wanddicke / Wallthickness	Außen Ø / Outside Ø	Wanddicke / Wallthickness			
mm	mm	mm	mm			mm	mm	mm	mm			
193,7	5,6	168,3	4,5		✓	219,1	8,8	193,7	8,0		✓	
		159,0	4,5		✓			168,3	7,1		✓	
		139,7	4,0		✓			139,7	7,1		✓	
		133,0	4,0		✓			114,3	6,3		✓	
		114,3	3,6		✓			12,5	168,3	11,0		✓
		108,0	3,6		✓				139,7	10,0		✓
		101,6	3,6		✓				114,3	8,8		✓
		88,9	3,2		✓				101,6	8,0		✓
	88,9	5,6		✓	88,9		8,0		✓			
	8,8	114,3	6,3		✓		244,5	6,3	219,1	6,3		✓
10,0	114,3	8,8		✓	193,7	5,6				✓		
219,1	4,5	168,3	4,0		✓	168,3			4,5		✓	
		139,7	4,0		✓	159,0			4,5		✓	
		114,3	4,5		✓	139,7			4,0		✓	
	5,0	168,3	4,5		✓	114,3			3,6		✓	
		114,3	3,6		✓	267,0	6,3	219,1	6,3		✓	
		88,9	3,2		✓			193,7	5,6		✓	
	6,3	193,7	5,6		✓			168,3	4,5		✓	
		193,7	6,3		✓			159,0	4,5		✓	
		168,3	4,5		✓			139,7	4,0		✓	
		159,0	4,5		✓			133,0	4,0		✓	
139,7		4,0		✓	114,3			3,6		✓		
139,7		4,5		✓	108,0			3,6		✓		
133,0		4,0		✓	273,0			5,0	168,3	4,5		✓
114,3		3,6		✓					114,3	3,6		✓
108,0	3,6		✓	6,3		267,0	6,3		✓			
101,6	3,6		✓			244,5	6,3		✓			
88,9	3,2		✓			219,1	6,3		✓			
76,1	2,9		✓			193,7	5,6		✓			
60,3	2,9		✓		168,3	4,5		✓				
8,0	193,7	7,1			✓	168,3	6,3		✓			
	168,3	7,1	✓		✓	159,0	4,5		✓			
	139,7	6,3			✓	139,7	4,0		✓			
	114,3	6,3	✓	✓	139,7	4,0		✓				
	101,6	5,6		✓	139,7	6,3		✓				
	88,9	5,6		✓								

Sortimentsangaben unter Vorbehalt/Assortment subject to change

Lieferprogramm / Range of Delivery

Konzentrische Reduzierstücke EN 10253-2 / Concentric Reducers EN 10253-2

Abmessungen / Dimensions				Material / Material Grade		
d1	s1	d2	s2			
Außen Ø / Outside Ø	Wanddicke / Wallthickness	Außen Ø / Outside Ø	Wanddicke / Wallthickness	P265GH	St35.8//P235GH	
mm	mm	mm	mm			
273,0	6,3	133,0	4,0		✓	
		114,3	3,6		✓	
		108,0	3,6		✓	
	8,8	219,1	8,0	8,0		✓
			193,7	7,1		✓
			168,3	7,1		✓
			139,7	6,3		✓
			114,3	6,3		✓
	10,0	219,1	8,0	8,0	✓	✓
			168,3	7,1	✓	✓
			139,7	7,1		✓
			114,3	6,3		✓
	12,5	219,1	12,5	12,5		✓
			168,3	11,0		✓
			139,7	10,0		✓
			114,3	8,8		✓
	14,2	219,1	12,5	12,5		✓
			168,3	11,0		✓
			139,7	10,0		✓
			114,3	8,8		✓
114,3			8,8		✓	
323,9	5,6	273,0	5,0		✓	
		219,1	5,0		✓	
		168,3	4,5		✓	
	7,1	273,0	6,3	6,3		✓
			267,0	6,3		✓
			244,5	6,3		✓
			219,1	6,3		✓
			193,7	5,6		✓
			168,3	4,5		✓
			159,0	4,5		✓
			139,7	4,0		✓
			133,0	4,0		✓
			114,3	3,6		✓
			8,8	219,1	8,0	
	10,0	273,0	8,8	8,8		✓
			273,0	10,0	✓	✓
	323,9	10,0	219,1	8,0	✓	✓
			168,3	7,1	✓	✓
			139,7	6,3	✓	✓
		12,5	273,0	12,5	12,5	
219,1				12,5		✓
168,3				11,0		✓
139,7				10,0		✓
114,3				8,8		✓
14,2		273,0	12,5	12,5		✓
			168,3	11,0		✓
			139,7	10,0		✓
			114,3	8,8		✓
16,0		273,0	14,2	14,2		✓
			219,1	12,5		✓
			168,3	11,0		✓
			139,7	10,0		✓
			114,3	8,8		✓
12,5		273,0	12,5	12,5		✓
			168,3	11,0		✓
			139,7	10,0		✓
	114,3		8,8		✓	
	114,3		8,8		✓	
355,6	4,0	219,1	4,0		✓	
		273,0	5,0		✓	
		273,0	5,0		✓	
		267,0	6,3		✓	
		219,1	6,3		✓	
8,0	323,9	7,1	7,1		✓	
		273,0	6,3		✓	
		267,0	6,3		✓	
		219,1	6,3		✓	
		168,3	4,5		✓	
8,8	323,9	8,8	8,8		✓	
		323,9	10,0		✓	
		323,9	10,0		✓	
		273,0	8,8		✓	
		219,1	8,0		✓	
12,5	323,9	12,5	12,5		✓	
		273,0	12,5		✓	
		219,1	12,5		✓	
		168,3	11,0		✓	
		168,3	11,0		✓	
17,5	323,9	16,0	16,0		✓	
		273,0	14,2		✓	
		219,1	12,5		✓	
		168,3	11,0		✓	
		168,3	11,0		✓	
368,0	8,0	355,6	8,0		✓	

Sortimentsangaben unter Vorbehalt/Assortment subject to change

Lieferprogramm / Range of Delivery

Konzentrische Reduzierstücke EN 10253-2 / Concentric Reducers EN 10253-2

Abmessungen / Dimensions				Material / Material Grade		
d1	s1	d2	s2			
Außen Ø / Outside Ø	Wanddicke / Wallthickness	Außen Ø / Outside Ø	Wanddicke / Wallthickness	P265GH	St35.8//P235GH	
mm	mm	mm	mm			
368,0	8,0	323,9	7,1		✓	
		273,0	6,3		✓	
		267,0	6,3		✓	
		219,1	6,3		✓	
		168,3	4,5		✓	
		159,0	4,5		✓	
406,4	6,3	355,6	6,3		✓	
		323,9	5,6		✓	
		323,9	6,3		✓	
		273,0	5,0		✓	
		219,1	4,5		✓	
		8,8	368,0	8,0		✓
			355,6	8,0		✓
			323,9	7,1		✓
			273,0	6,3		✓
			267,0	6,3		✓
			244,5	6,3		✓
			219,1	6,3		✓
			168,3	4,5		✓
	10,0	355,6	10,0		✓	
		355,6	12,5		✓	
		323,9	10,0	✓	✓	
		273,0	10,0	✓	✓	
		219,1	8,0	✓	✓	
	12,5	355,6	11,0		✓	
		355,6	12,5		✓	
		323,9	10,0		✓	
		323,9	12,5		✓	
		273,0	8,8		✓	
		273,0	12,5		✓	
	219,1	8,0		✓		
	219,1	12,5		✓		
	14,0	273,0	14,0			
	20,0	355,6	17,5		✓	
		323,9	16,0		✓	
		273,0	12,5		✓	

Abmessungen / Dimensions				Material / Material Grade		
d1	s1	d2	s2			
Außen Ø / Outside Ø	Wanddicke / Wallthickness	Außen Ø / Outside Ø	Wanddicke / Wallthickness	P265GH	St35.8//P235GH	
mm	mm	mm	mm			
406,4	20,0	273,0	14,2		✓	
		219,1	12,5		✓	
419,0	10,0	406,4	8,8		✓	
		368,0	8,0		✓	
		355,6	8,0		✓	
		323,9	7,1		✓	
		273,0	6,3		✓	
		219,1	6,3		✓	
457,2	6,3	355,6	6,3			
		323,9	5,6			
		10,0	419,0	10,0		✓
			406,4	8,8		✓
			368,0	8,0		✓
			355,6	8,0		✓
			323,9	7,1		✓
			273,0	6,3		✓
		12,5	267,0	6,3		✓
			219,1	6,3		✓
		14,2	406,4	12,5		✓
			355,6	12,5		✓
			323,9	12,5		✓
	273,0		12,5		✓	
	219,1		12,5		✓	
	22,2	406,4	20,0		✓	
		355,6	17,5		✓	
		323,9	16,0		✓	
		273,0	14,2		✓	
508,0	6,3	406,4	6,3		✓	

Sortimentsangaben unter Vorbehalt/Assortment subject to change

Lieferprogramm / Range of Delivery

Konzentrische Reduzierstücke EN 10253-2 / Concentric Reducers EN 10253-2

Abmessungen / Dimensions				Material / Material Grade		Abmessungen / Dimensions				Material / Material Grade		
d1	s1	d2	s2	P265GH	St35.8// P235GH	d1	s1	d2	s2	P265GH	St35.8// P235GH	
Außen Ø / Outside Ø	Wanddicke / Wallthickness	Außen Ø / Outside Ø	Wanddicke / Wallthickness			Außen Ø / Outside Ø	Wanddicke / Wallthickness	Außen Ø / Outside Ø	Wanddicke / Wallthickness			
mm	mm	mm	mm			mm	mm	mm	mm			
508,0	6,3	355,6	5,6		✓	610,0	12,5	521,0	11,5		✓	
		323,9	5,6		✓							
		323,9	6,3									
	8,8	11,0	406,4	8,8					457,0	10,0		✓
			470,0	10,0				✓				
			457,0	10,0				✓				
			419,0	10,0				✓				
			406,4	8,8				✓				
			368,0	8,0				✓				
			355,6	8,0				✓				
			323,9	7,1				✓				
			273,0	6,3				✓				
			267,0	6,3				✓				
			219,1	6,3				✓				
	12,5	12,5	457,0	12,5				✓	419,0	10,0		✓
			406,4	12,5				✓				
			355,6	12,5				✓				
			323,9	12,5				✓				
			273,0	12,5				✓				
	16,0	14,2	457,0	14,2				✓	406,4	8,8		✓
			406,4	12,5				✓				
			355,6	11,0				✓				
			323,9	10,0				✓				
			273,0	8,8				✓				
25,0	8,0	457,0	8,0		✓	368,0	8,0		✓			
		406,4	22,2		✓							
		355,6	20,0		✓							
		323,9	17,5		✓							
		273,0	16,0		✓							
219,1	14,2	457,0	14,2		✓	323,9	7,1		✓			
		406,4	12,5		✓							
		355,6	12,5									
		323,9	12,5									
		273,0	12,5									
610,0	6,3	508,0	6,3		✓							
		406,4	6,3		✓							

Sortimentsangaben unter Vorbehalt/Assortment subject to change

Fragen Sie uns auch nach Zwischenabmessungen, Sondermaßen und weiteren Werkstoffen /
Ask us also for intermediate sizes, special dimensions and other materials