

Lieferprogramm / Range of Delivery

Konzentrische Reduzierungen ANSI/ASME B16.9 / Concentric Reducers ANSI/ASME B16.9
Material A/SA 234 WPB / Material Grade A/SA 234 WPB

Abmessungen / Dimensions						Abmessungen / Dimensions						
d1	s1	d2	s2	d1xd2	Wanddicke ASA / ASA Schedule	d1	s1	d2	s2	d1xd2	Wanddicke ASA / ASA Schedule	
Außen Ø / Outside Ø	Wanddicke / Wallthickness	Außen Ø / Outside Ø	Wanddicke / Wallthickness	Nennweite / Nominal bore		Außen Ø / Outside Ø	Wanddicke / Wallthickness	Außen Ø / Outside Ø	Wanddicke / Wallthickness	Nennweite / Nominal bore	Wanddicke ASA / ASA Schedule	
mm	mm	mm	mm	inch		mm	mm	mm	mm	inch		
26.37	2.87	21.34	2.77	3/4"x1/2"	STD	48.26	10.16	42.16	9.70	1.1/2"x1.1/4"	XXS	
	3.91	21.34	3.73	3/4"x1/2"	XS			33.40	9.09	1.1/2"x1"	XXS	
	5.54	21.34	4.75	3/4"x1/2"	SCH160			26.67	7.82	1.1/2"x3/4"	XXS	
	7.82	21.34	7.47	3/4"x1/2"	XXS							
33.40	3.38	26.37	2.87	1"x3/4"	STD	60.33	3.91	48.26	3.68	2"x1.1/2"	STD	
		21.34	2.77	1"x1/2"	STD			42.16	3.56	2"x1.1/4"	STD	
	4.55	26.37	3.91	1"x3/4"	XS			33.40	3.38	2"x1"	STD	
	21.34	3.73	1"x1/2"	XS	26.67			2.87	2"x3/4"	STD		
	6.35	26.37	5.54	1"x3/4"	SCH160	5.54	48.26	5.08	2"x1.1/2"	XS		
		21.34	4.75	1"x1/2"	SCH160		42.16	4.85	2"x1.1/4"	XS		
	9.09	26.37	26.37	7.82	1"x3/4"	XXS	11.07	48.26	26.67	3.91	2"x3/4"	XS
			21.34	7.47	1"x1/2"	XXS			42.16	9.70	2"x1.1/4"	XXS
42.16	3.56	33.40	3.38	1.1/4"x1"	STD	8.71	48.26	7.14	2"x1.1/2"	SCH160		
		26.37	2.87	1.1/4"x3/4"	STD			42.16	6.35	2"x1.1/4"	SCH160	
		21.34	2.77	1.1/4"x1/2"	STD			33.40	6.35	2"x1"	SCH160	
		33.40	4.55	1.1/4"x1"	XS			26.67	5.54	2"x3/4"	SCH160	
	4.85	26.37	3.91	1.1/4"x3/4"	XS	11.07	48.26	10.16	2"x1.1/2"	XXS		
		21.34	3.73	1.1/4"x1/2"	XS			42.16	9.70	2"x1.1/4"	XXS	
	6.35	33.40	6.35	1.1/4"x1"	SCH160	33.40	9.09	2"x1"	XXS			
			26.37	5.54	1.1/4"x3/4"			SCH160	26.67	7.82	2"x3/4"	XXS
	21.34	4.75	1.1/4"x1/2"	SCH160								
			9.70	33.40	9.09	1.1/4"x1"	XXS	21.34	7.47	2"x1/2"	XXS	
	48.26	3.68	42.16	3.56	1.1/2"x1.1/4"	STD	73.03	5.16	60.33	3.91	2.1/2"x2"	STD
			33.40	3.38	1.1/2"x1"	STD			48.26	3.68	2.1/2"x1.1/2"	STD
26.67			2.87	1.1/2"x3/4"	STD	42.16			3.56	2.1/2"x1.1/4"	STD	
33.40			3.38	2.1/2"x1"	STD	33.40			3.38	2.1/2"x1"	STD	
5.08		42.16	4.85	1.1/2"x1.1/4"	XS	7.01	60.33	5.54	2.1/2"x2"	XS		
		33.40	4.55	1.1/2"x1"	XS			48.26	5.08	2.1/2"x1.1/2"	XS	
26.67		3.91	1.1/2"x3/4"	XS								
			42.16	6.35	1.1/2"x1.1/4"	SCH160	42.16	4.85	2.1/2"x1.1/4"	XS		
7.14		42.16	6.35	1.1/2"x1.1/4"	SCH160	9.53	60.33	8.71	2.1/2"x2"	SCH160		
			33.40	6.35	1.1/2"x1"			SCH160	48.26	7.14	2.1/2"x1.1/2"	SCH160
			26.67	5.54	1.1/2"x3/4"			SCH160	42.16	6.35	2.1/2"x1.1/4"	SCH160
			21.34	4.75	1.1/2"x1/2"			SCH160	33.40	6.35	2.1/2"x1"	SCH160
14.02	60.33	11.07	2.1/2"x2"	XXS								

Sortimentsangaben unter Vorbehalt/Assortment subject to change

Lieferprogramm / Range of Delivery

Konzentrische Reduzierungen ANSI/ASME B16.9 / Concentric Reducers ANSI/ASME B16.9
Material A/SA 234 WPB / Material Grade A/SA 234 WPB

Abmessungen / Dimensions						Abmessungen / Dimensions							
d1	s1	d2	s2	d1xd2	Wanddicke ASA / ASA Schedule	d1	s1	d2	s2	d1xd2	Wanddicke ASA / ASA Schedule		
Außen Ø / Outside Ø	Wanddicke / Wallthickness	Außen Ø / Outside Ø	Wanddicke / Wallthickness	Nennweite / Nominal bore		Außen Ø / Outside Ø	Wanddicke / Wallthickness	Außen Ø / Outside Ø	Wanddicke / Wallthickness	Nennweite / Nominal bore	Wanddicke ASA / ASA Schedule		
mm	mm	mm	mm	inch		mm	mm	mm	mm	inch			
73.03	14.02	48.26	10.16	2.1/2"x1.1/2"	XXS	114.30	8.56	88.90	7.62	4"x3"	XS		
		42.16	9.70	2.1/2"x1.1/4"	XXS			73.03	7.01	4"x2.1/2"	XS		
		33.40	9.09	2.1/2"x1"	XXS			60.33	5.54	4"x2"	XS		
88.90	5.49	73.03	5.16	3"x2.1/2"	STD			48.26	5.08	4"x1.1/2"	XS		
		60.33	3.91	3"x2"	STD			42.16	4.85	4"x1.1/4"	XS		
		48.26	3.68	3"x1.1/2"	STD			13.49	88.90	11.13	4"x3"	SCH160	
		42.16	3.56	3"x1.1/4"	STD		73.03		9.53	4"x2.1/2"	SCH160		
		33.40	3.38	3"x1"	STD		60.33		8.71	4"x2"	SCH160		
		7.62	73.03	73.03	7.01		3"x2.1/2"		XS	48.26	7.14	4"x1.1/2"	SCH160
60.33	5.54			3"x2"	XS		17.12		88.90	15.24	4"x3"	XXS	
48.26	5.08			3"x1.1/2"	XS				73.03	14.02	4"x2.1/2"	XXS	
42.16	4.85			3"x1.1/4"	XS			60.33	11.07	4"x2"	XXS		
33.40	4.55			3"x1"	XS	48.26		10.16	4"x1.1/2"	XXS			
11.13	73.03			73.03	9.53	3"x2.1/2"		SCH160	141.30	6.55	114.30	6.02	5"x4"
		60.33	8.71	3"x2"	SCH160	101.60		5.74			5"x3.1/2"	STD	
		48.26	7.14	3"x1.1/2"	SCH160	88.90	5.49	5"/3"			STD		
		42.16	6.35	3"x1.1/4"	SCH160	73.03	5.16	5"x2.1/2"			STD		
		33.40	6.35	3"x1"	SCH160	60.33	3.91	5"x2"			STD		
		15.24	73.03	73.03	14.02	3"x2.1/2"	XXS	9.53			114.30	8.56	5"x4"
60.33	11.07			3"x2"	XXS	101.60	8.08			5"x3.1/2"	XS		
48.26	10.16			3"x1.1/2"	XXS	88.90	7.62			5"x3"	XS		
42.16	9.70			3"x1.1/4"	XXS	73.03	7.01			5"x2.1/2"	XS		
33.40	9.09			3"x1"	XXS	60.33	5.54			5"x2"	XS		
101.60	16.15			88.90	15.24	3.1/2"x3"	XXS			15.88	114.30	13.49	5"x4"
		73.03	14.02	3.1/2"x2.1/2"	XXS	88.90	11.13	5"x3"			SCH160		
		60.33	11.07	3.1/2"x2"	XXS	73.03	9.53	5"x2.1/2"	SCH160				
		48.26	10.16	3.1/2"x1.1/2"	XXS	60.33	8.71	5"x2"	SCH160				
114.30	6.02	101.60	5.74	4"x3.1/2"	STD	19.05	114.30	17.12	5"x4"	XXS			
		88.90	5.49	4"x3"	STD		101.60	16.15	5"x3.1/2"	XXS			
		73.03	5.16	4"x2.1/2"	STD		88.90	15.24	5"x3"	XXS			
		60.33	3.91	4"x2"	STD		73.03	14.02	5"x2.1/2"	XXS			
		48.26	3.68	4"x1.1/2"	STD		60.33	11.07	5"x2"	XXS			
		42.16	3.56	4"x1.1/4"	STD		168.28	7.11	141.30	6.55	6"x5"	STD	
		8.56	101.60	8.08	4"x3.1/2"				XS	114.30	6.02	6"x4"	STD
										101.60	5.74	6"x3.1/2"	STD

Sortimentsangaben unter Vorbehalt/Assortment subject to change

Lieferprogramm / Range of Delivery

Konzentrische Reduzierungen ANSI/ASME B16.9 / Concentric Reducers ANSI/ASME B16.9
Material A/SA 234 WPB / Material Grade A/SA 234 WPB

Abmessungen / Dimensions						Abmessungen / Dimensions							
d1	s1	d2	s2	d1xd2	Wanddicke ASA / ASA Schedule	d1	s1	d2	s2	d1xd2	Wanddicke ASA / ASA Schedule		
Außen Ø / Outside Ø	Wanddicke / Wallthickness	Außen Ø / Outside Ø	Wanddicke / Wallthickness	Nennweite / Nominal bore		Außen Ø / Outside Ø	Wanddicke / Wallthickness	Außen Ø / Outside Ø	Wanddicke / Wallthickness	Nennweite / Nominal bore	Wanddicke ASA / ASA Schedule		
mm	mm	mm	mm	inch		mm	mm	mm	mm	inch			
168.28	7.11	88.90	5.49	6"x3"	STD	273.05	9.27	141.30	6.55	10"x5"	STD		
		73.03	5.16	6"x2.1/2"	STD			114.30	6.02	10"x4"	STD		
		60.33	3.91	6"x2"	STD			12.70	219.08	12.70	10"x8"	XS	
	10.97	141.30	9.53	6"x5"	XS		168.28	10.97	10"x6"	XS			
		114.30	8.56	6"x4"	XS		141.30	9.53	10"x5"	XS			
		101.60	8.08	6"x3.1/2"	XS		114.30	8.56	10"x4"	XS			
		88.90	7.62	6"x3"	XS		15.06	219.08	12.70	10"x8"	SCH80		
		73.03	7.01	6"x2.1/2"	XS			168.28	10.97	10"x6"	SCH80		
		60.33	5.54	6"x2"	XS			141.30	9.53	10"x5"	SCH80		
	14.27	114.30	11.13	6"x4"	SCH120		114.30	8.56	10"x4"	SCH80			
		18.24	141.30	15.88	6"x5"		SCH160	28.58	219.08	23.01	10"x8"	SCH160	
			114.30	13.49	6"x4"		SCH160		323.85	9.53	273.05	9.27	12"x10"
	88.90		11.13	6"x3"	SCH160		219.08			8.18	12"x8"	STD	
	21.95	73.03	60.33	8.71	6"x2"		SCH160	168.28	7.11	12"x6"	STD		
			141.30	19.05	6"x5"		XXS	141.30	6.55	12"x5"	STD		
		114.30	17.12	6"x4"	XXS		12.70	273.05	12.70	12"x10"	XS		
		101.60	16.15	6"x3.1/2"	XXS			219.08	12.70	12"x8"	XS		
		88.90	15.24	6"x3"	XXS		168.28	10.97	12"x6"	XS			
		73.03	14.02	6"x2.1/2"	XXS		141.30	9.53	12"x5"	XS			
	219.08	8.18	60.33	11.07	6"x2"		XXS	17.45	273.05	15.06	12"x10"	SCH80	
168.28			7.11	8"x6"	STD	219.08	12.70		12"x8"	SCH80			
141.30			6.55	8"x5"	STD	168.28	10.97		12"x6"	SCH80			
114.30			6.02	8"x4"	STD	33.32	273.05		28.58	12"x10"	SCH160		
88.90		5.49	8"x3"	STD	219.08		23.01	12"x8"	SCH160				
12.70		168.28	10.97	8"x6"	XS		355.60	9.53	323.85	9.53	14"x12"	STD	
		141.30	9.53	8"x5"	XS	273.05			9.27	14"x10"	STD		
		114.30	8.56	8"x4"	XS	219.08			8.18	14"x8"	STD		
		88.90	7.62	8"x3"	XS	168.28			7.11	14"x6"	STD		
22.23		168.28	21.95	8"x6"	XXS	12.70	323.85	12.70	14"x12"	XS			
			141.30	19.05	8"x5"		XXS	273.05	12.70	14"x10"	XS		
		114.30	17.12	8"x4"	XXS	219.08	12.70	14"x8"	XS				
	88.90	15.24	8"x3"	XXS	168.28	10.97	14"x6"	XS					
273.05	9.27	219.08	8.18	10"x8"	STD	19.05	323.85	17.45	14"x12"	SCH80			
		168.28	7.11	10"x6"	STD		273.05	15.06	14"x10"	SCH80			
							219.08	12.70	14"x8"	SCH80			

Sortimentsangaben unter Vorbehalt/Assortment subject to change

Lieferprogramm / Range of Delivery

Konzentrische Reduzierungen ANSI/ASME B16.9 / Concentric Reducers ANSI/ASME B16.9
Material A/SA 234 WPB / Material Grade A/SA 234 WPB

Abmessungen / Dimensions						Abmessungen / Dimensions						
d1	s1	d2	s2	d1xd2		d1	s1	d2	s2	d1xd2		
Außen Ø / Outside Ø	Wanddicke / Wallthickness	Außen Ø / Outside Ø	Wanddicke / Wallthickness	Nennweite / Nominal bore	Wanddicke ASA / ASA Schedule	Außen Ø / Outside Ø	Wanddicke / Wallthickness	Außen Ø / Outside Ø	Wanddicke / Wallthickness	Nennweite / Nominal bore	Wanddicke ASA / ASA Schedule	
mm	mm	mm	mm	inch		mm	mm	mm	mm	inch		
355.60	19.05	168.28	10.97	14"x6"	SCH80	508.00	12.70	273.05 219.08	12.70 12.70	20"x10" 20"x 8"	XS XS	
406.40	9.53	355.60	9.53	16"x14"	STD	609.60	9.53	508.00	9.53	24"x20"	STD	
		323.85	9.53	16"x12"	STD			457.20	9.53	24"x18"	STD	
		273.05	9.27	16"x10"	STD			406.40	9.53	24"x16"	STD	
		219.08	8.18	16"x8"	STD			355.60	9.53	24"x14"	STD	
	12.70	355.60	12.70	16"x14"	XS			323.85	9.53	24"x12"	STD	
		323.85	12.70	16"x12"	XS			12.70	508.00	12.70	24"x20"	XS
		273.05	12.70	16"x10"	XS				457.20	12.70	24"x18"	XS
		219.08	12.70	16"x8"	XS				406.40	12.70	24"x16"	XS
	21.41	355.60	19.05	16"x14"	SCH80		355.60		12.70	24"x14"	XS	
		323.85	17.45	16"x12"	SCH80		323.85	12.70	24"x12"	XS		
		273.05	15.06	16"x10"	SCH80							
		219.08	12.70	16"x8"	SCH80							
457.20	9.53	406.40	9.53	18"x16"	STD							
		355.60	9.53	18"x14"	STD							
		323.85	9.53	18"x12"	STD							
		273.05	9.27	18"x10"	STD							
	12.70	406.40	12.70	18"x16"	XS							
		355.60	12.70	18"x14"	XS							
		323.85	12.70	18"x12"	XS							
		273.05	12.70	18"x10"	XS							
508.00	9.53	457.20	9.53	20"x18"	STD							
		406.40	9.53	20"x16"	STD							
		355.60	9.53	20"x14"	STD							
		323.85	9.53	20"x12"	STD							
		273.05	9.27	20"x10"	STD							
		219.08	8.18	20"x 8"	STD							
	12.70	457.20	12.70	20"x18"	XS							
		406.40	12.70	20"x16"	XS							
		355.60	12.70	20"x14"	XS							
		323.85	12.70	20"x12"	XS							

Fragen Sie uns auch nach Zwischenabmessungen, Sondermaßen und weiteren Werkstoffen /
Ask us also for intermediate sizes, special dimensions and other materials